



CampoSlate

Telf: (+34) 981 418 557
CUIÑA S/N 15332 ORTIGUEIRA
A CORUÑA / SPAIN
www.camposlate.com
info@camposlate.com

Lombao

Campo Slate S.L. / Campo Lombao S.L. / Campo Cabana S.L. / Europizarras. S.A.

CE.09
EN 12326-1



Natural Slate for roofing and facades
(Not carbonated)

MARCA NF ARDOISES



AFNOR CERTIFICATION 11,
RUE FRANCIS DE PRESSENSÉ
93571 SAINT-DENI LA PLAINE CEDEX

Identification Number
Slate identification reference
Slate in accordance with the norms

26/01
4GP
NF P 32-301
NF EN 12326
ON THE PALLET

Lot number and production date

Water absorption: **A1**
Thermal Cycle Class: **T1**
Sulfur Dioxide Class: **S1**

Carbonate content: **<1%**
Elemental Carbonate content: **Agreed <2%**
Fire Reaction: **Agreed Class A1**
Dangerous substance emission: **None**
Mechanical Resistance /Transversal: **>38MPa (Mor) / >512 N (Charg. Rupt.)**
Mechanical Resistance /Longitudinal: **>70MPa (Mor) />971 N (Charg. Rupt.)**
Dimensional Variations: **Agreed**
Nominal Thickness and Variation: **Agreed**

TYPE: SMOOTH

FORMAT: RECTANGULAR

THICKNESS: **3,5mm** **4,5mm** **5,8 mm** **8mm**



FORMAT:

